

ARL-TN-0813 ● FEB 2017



An Investigation to Improve Classifier Accuracy for Myo Collected Data

by Michael H Lee, Andre V Harrison, and Robert P Winkler

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.



An Investigation to Improve Classifier Accuracy for Myo Collected Data

by Michael H Lee, Andre V Harrison, and Robert P Winkler Computational and Information Sciences Directorate, ARL

REPORT D	Form Approved OMB No. 0704-0188						
data needed, and completing and reviewing the collection burden, to Department of Defense, Washington Head	ction information. Send comment lquarters Services, Directorate for ty other provision of law, no person	ts regarding this burden estir r Information Operations an on shall be subject to any pe	mate or any other asped d Reports (0704-0188	instructions, searching existing data sources, gathering and maintaining the teet of this collection of information, including suggestions for reducing the), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. mply with a collection of information if it does not display a currently valid			
1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE			3. DATES COVERED (From - To)			
February 2017	Technical Note						
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER			
An Investigation to Improve Cla	ssifier Accuracy for	r Myo Collected	Data				
	,			5b. GRANT NUMBER			
				5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)				5d. PROJECT NUMBER			
Michael H Lee, Andre V Harrise	on and Robert P Wi	inkler					
77.	on, and resoure w			5e. TASK NUMBER			
				5f. WORK UNIT NUMBER			
7. PERFORMING ORGANIZATION NAM	E(S) AND ADDRESS(ES)			8. PERFORMING ORGANIZATION REPORT NUMBER			
US Army Research Laboratory ATTN: RDRL-CII-B				ARL-TN-0813			
2800 Powder Mill Road							
Adelphi, MD 20783-1138 9. SPONSORING/MONITORING AGENC	V NAME(S) AND ADDRES	SC/EC)		10. SPONSOR/MONITOR'S ACRONYM(S)			
5. SPONSOKING/ WONT OKING AGENC	T NAIVIE(3) AND ADDRES	33(E3)		10. SPONSON/MONITOR S ACRONTINI(S)			
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)			
				22.0.0.000, 110.110.10.12.			
12. DISTRIBUTION/AVAILABILITY STATE	EMENT						
Approved for public release; dis	tribution is unlimite	ed.					
13. SUPPLEMENTARY NOTES							
14. ABSTRACT							
A naïve Bayes classifier trained with 1,360 samples from 17 volunteers performs at an accuracy of 72.5% (based on 10-fold cross validation). This accuracy is based on using the entire data set. One approach to increasing the accuracy is by analyzing the data and removing irregular samples from the training set. As the quality of the training data increases, the accuracy of the classifier will increase. This report describes analysis of 2 features of the training data, observed unusual patterns, and how fine tuning the training set increased the accuracy by 7.2%.							
15. SUBJECT TERMS							
Myo, machine learning, classifie	er, data analysis, NA	TO gestures, 10-	-fold cross va	lidation			
16. SECURITY CLASSIFICATION OF:		17. LIMITATION	18. NUMBER	19a. NAME OF RESPONSIBLE PERSON			
10. SECONTT CEASSIFICATION OF.		OF	OF	Michael H Lee			
a. REPORT b. ABSTRACT	c. THIS PAGE	ABSTRACT	PAGES	19b. TELEPHONE NUMBER (Include area code)			

64

301-394-5608

UU

Unclassified

Unclassified

Unclassified

Contents

List	of Fig	gures	iv	
List	of Ta	bles	vi	
1.	Intr	oduction	1	
2.	NATO Gesture Myo Dataset		1	
3.	Plot	ting using the R Tool	2	
4.	Ana	lysis	4	
5.	Ren	noval of Bad Samples Effect on Classification Accuracy	7	
	5.1	Naïve Bayes (NB) Classifier Accuracy	7	
	5.2	Logistic Model Tree (LMT)	10	
	5.3	K-Nearest Neighbor (IBK)	12	
	5.4	Ensemble Classifier Accuracy	14	
6.	Con	clusion	16	
7.	Ref	erences	17	
Арр	endi	x A. Charts Exhibiting Unusual Pitch Behavior	19	
Арр	endi	x B. Charts Exhibiting Unusual xAcc Behavior	37	
Appendix C. Unusual Samples Categorized by Gesture 4				
Dict	rihu+	ion List	55	

List of Figures

Fig. 1	Plot of user 01, Come gesture, pitch feature, samples 01–103
Fig. A-1	Come gesture, pitch feature, user 06. All samples exhibit reversed movement
Fig. A-2	Come gesture, pitch feature, user 14. All samples exhibit reversed movement
Fig. A-3	Come gesture, pitch feature, user 16. All samples exhibit reversed movement
Fig. A-4	Down gesture, pitch feature, user 02. Sample 10 exhibit unusual movement at the end
Fig. A-5	Down gesture, pitch feature, user 06. All samples exhibit reversed movement
Fig. A-6	Down gesture, pitch feature, user 11. Sample 01 exhibit unusual movement at the end
Fig. A-7	Down gesture, pitch feature, user 14. All samples exhibit reversed movement
Fig. A-8	Down gesture, pitch feature, user 02. Sample 08 exhibit unusual movement at the end
Fig. A-9	Down gesture, pitch feature, user 16. All samples exhibit reversed movement
Fig. A-10	Freeze gesture, pitch feature, user 02. All samples exhibit reversed movement
Fig. A-11	Freeze gesture, pitch feature, user 06. All samples exhibit reversed movement
Fig. A-12	Freeze gesture, pitch feature, user 14. All samples exhibit reversed movement
Fig. A-13	Freeze gesture, pitch feature, user 16. All samples exhibit reversed movement
Fig. A-14	Hurry up gesture, pitch feature, user 02. Sample 01-05 exhibit reversed movement
Fig. A-15	Hurry up gesture, pitch feature, user 06. All samples exhibit reversed movement
Fig. A-16	Hurry up gesture, pitch feature, user 10. Sample 06 and 08 exhibit unusual movement at the end
Fig. A-17	Hurry up gesture, pitch feature, user 14. All samples exhibit reversed movement
Fig. A-18	Hurry up gesture, pitch feature, user 16. All samples exhibit reversed movement 28

Fig. A-19	Line abreast formation gesture, pitch feature, user 06. All samples exhibit reversed movement
Fig. A-20	Line abreast formation gesture, pitch feature, user 14. All samples exhibit reversed movement
Fig. A-21	Line abreast formation gesture, pitch feature, user 16. All samples exhibit reversed movement
Fig. A-22	Rally point gesture, pitch feature, user 02. All samples exhibit reversed movement
Fig. A-23	Rally point gesture, pitch feature, user 06. All samples exhibit reversed movement31
Fig. A-24	Rally point gesture, pitch feature, user 14. All samples exhibit reversed movement31
Fig. A-25	Rally point gesture, pitch feature, user 15. Sample 06 exhibit unusual movement at the end
Fig. A-26	Rally point gesture, pitch feature, user 16. All samples exhibit reversed movement
Fig. A-27	Stop gesture, pitch feature, user 06. All samples exhibit reversed movement
Fig. A-28	Stop gesture, pitch feature, user 14. All samples exhibit reversed movement
Fig. A-29	Stop gesture, pitch feature, user 16. All samples exhibit reversed movement
Fig. A-30	Vehicle gesture, pitch feature, user 06. All samples exhibit reversed movement
Fig. A-31	Vehicle gesture, pitch feature, user 13. Sample 01 and 06 exhibit unusual movement at the end
Fig. A-32	Vehicle gesture, pitch feature, user 14. All samples exhibit reversed movement
Fig. A-33	Vehicle gesture, pitch feature, user 16. All samples exhibit reversed movement
Fig. B-1	Come gesture, xAcc feature, user 04. All samples exhibit reversed movement
Fig. B-2	Down gesture, xAcc feature, user 04. All samples exhibit reversed movement
Fig. B-3	Down gesture, xAcc feature, user 11. Sample 01 exhibit unusual movement at the end
Fig. B-4	Freeze gesture, xAcc feature, user 02. Sample 01 and 04 exhibit unusual movement at the end
Fig. B-5	Freeze gesture, xAcc feature, user 04. All samples exhibit reversed movement 40

Fig. B-6	Hurry up gesture, xAcc feature, user 04. All samples exhibit reversed movement40
Fig. B-7	Line abreast formation gesture, xAcc feature, user 04. Samples 01-09 exhibit reversed movement
Fig. B-8	Rally point gesture, xAcc feature, user 02. Sample 05 exhibit unusual movement at the end
Fig. B-9	Rally point gesture, xAcc feature, user 04. All samples exhibit reversed movement
Fig. B-10	Rally point gesture, xAcc feature, user 15. Sample 06 exhibit unusual movement at the end
Fig. B-11	Stop gesture, xAcc feature, user 04. All samples exhibit reversed movement
Fig. B-12	Vehicle gesture, xAcc feature, user 13. Sample 01 and 06 exhibit unusual movement at the end
List of T	ables
Table 1	16 features of a gesture movement
Table 2	Ranking of classification importance of local features captured by the Myo4
Table 3	Tally of unusual samples respect to pitch5
Table 4	Tally of unusual samples respect to xAcc5
Table 5	Summary of categorized samples per user6
Table 6	Summary of categorized samples per gesture6

1. Introduction

The Battlefield Information Processing Branch of the Computational and Information Sciences Directorate has been investigating methods to detect, perceive, and understand human behavior and actions through wearable and environment sensors and other Internet of Things devices. One of the research projects in this area has been using the Myo wearable sensor to classify different North Atlantic Treaty Organization (NATO) hand gestures. As part of this project, a pilot study was conducted to record a small sample of the NATO hand gestures using the Myo armband from a group of individuals. From this data set of gestures, several preexisting machine learning classifiers were tested (e.g., naïve Bayes [NB], logistic model tree [LMT], k-nearest neighbor [IBK]) and evaluated based on their classification performance on the data. From the data, subject-specific and generic gesture classification models were developed for each classifier. The subject-specific models had extremely high performance 99% accuracy; however, the generic models had a much lower performance; the best models could not achieve an F-score of 90%.

To find insight into ways to improve the classifier accuracy on the gesture data, the data analysis tool, R, was applied to the data collected by the Myo. By plotting the sensor waveforms output by the Myo, it was very quickly observed that some of the data recorded were invalid. By removing these invalid data samples, accuracy of most classifiers was improved. In the following sections, the pilot study used to create the gesture data set is described in a bit more detail. The procedure under which the gesture data were examined, evaluated, and determined to be valid or invalid is described. Then, the results of using the cleaned-up gesture data set to train several classifiers are compared to the results of using the full data set for each classifier.

2. NATO Gesture Myo Dataset

On July 2015, the US Army Research Laboratory collected NATO gesture movement data from 17 volunteers. Each volunteer performed 8 gestures (Freeze, Rally Point, Hurry Up, Down, Come, Stop, Line Abreast Formation, and Vehicle) 10 times, generating a total of 1,360 recorded motion gestures. The movement parameters from each iteration were recorded in plain-text format. Details of the data collect procedure was documented in ARL-TN-0699, *Hand Gesture Data Collection Procedure Using a Myo Armband for Machine Learning*. Table 1 lists the 16 features recorded by the Myo during the data collect. Movement was captured at 10 Hz, and the data were saved as comma-separated values.

 Table 1
 16 features of a gesture movement

Gesture feature				
Roll				
Pitch				
Yaw				
xGyro/sec				
yGyro/sec				
zGyro/sec				
$xAccel_g(xAcc)$				
yAccel_g				
zAccel_g				
xAccelWorld_g				
yAccelWorld_g				
zAccelWorld_g				
X-Direction				
xOrientationWorld				
yOrientationWorld				
zOrientationWorld				

3. Plotting using the R Tool

The statistical analysis tool called R was used to analyze the gesture data. A line chart was plotted for each gesture's feature (e.g., Pitch, xAcc) per user. All 10 recorded samples of a particular gesture for a single volunteer were plotted on the same chart for quick comparison. For example, the chart illustrated in Fig. 1 was generated with the following input conditions:

Gesture: Come
Volunteer: 01
Feature: Pitch
Samples: 01–10




Fig. 1 Plot of user 01, Come gesture, pitch feature, samples 01–10

Each of the samples drawn on the chart is distinguished by color, shape of the marker, and style of the line. The first sample is indicated by red solid line with solid red circle. The second sample is indicated by orange dashed line with solid orange circle. These attributes help quickly identify a particular line plotted on a grouped chart.

The x-axis represents time in 1/10-s increment. For example, Fig. 1 shows that the second sample (indicated by orange) lasted approximately 7 s. The y-axis represents the value of the particular feature. For example, Fig. 1 shows that the second sample started with a pitch value of approximately –1.3 and increased to a pitch value of approximately 1.3. Charts were configured to use the same x- and y-axis range for a given gesture's feature. In other words, all of the Come gesture's pitch charts were plotted using the same x- and y-axis range. Having the same dimension resolution allowed us to compare data without adjusting the scale for each view.

Out of the 16 features, only 3 features (pitch, yaw, and xAcc) were analyzed, due to time constraints. The pitch feature records the up and down motion, the yaw feature records the side-to-side motion, and xAcc records the acceleration values along the x-axis. Pitch and yaw features were selected due to the ease in understanding how the gesture should look on a waveform. This makes it easier to track the motion of the gesture in 2 dimensions and detect abnormalities in the up/down and side/side movements. Roll was briefly analyzed, but early on it was

observed that there were little observable differences in the data, so no further analysis of the roll feature was done. The xAcc feature was selected because it was identified as the most influential feature out of the 16 features (Table 2).

Table 2 Ranking of classification importance of local features captured by the Myo

Ranking	Attribute
1.4113	xAcc
1.1772	zAccel_g
1.0188	Pitch
0.9179	zGyro/sec
0.653	yGyro/sec
0.6359	xGyro/sec
0.297	Pose
0.2344	yAccel_g
0.2324	Roll
0.176	Yaw

During the analysis of the 3 features, it was decided not to remove any samples based on unusual yaw movements. In the context of the NATO gestures chosen for this data collect, it was generally acceptable for a subject to perform a gesture with variations in the yaw movement. For example, during a Come gesture, it was acceptable if the subject raised a hand in a subtle clockwise motion or a counterclockwise motion.

4. Analysis

Each generated chart was manually reviewed for unusual behavior. Samples that moved in unexpected fashion were tallied as shown in Tables 3 and 4 (the full data plots are provided in Appendixes A and B, respectively). Table 3 is a record of samples that had a problematic pitch value movement for a given gesture. Table 4 is a record of samples that had a problematic xAcc value movement for a given gesture. Empty cells indicate samples moved within an expected way. A summary of the categorized samples per user and per gesture is listed in Tables 5 and 6, respectively.

Table 3 Tally of unusual samples respect to pitch

User	Come	Down	Freeze	Hurry up	Line abreast formation	Rally point	Stop	Vehicle
01		•••		•••		•••		
02		1	10	5	•••	10		
03					•••			
04								
05								
06	10	10	10	10	10	10	10	10
07								
08								
09								
10				2				
11		1						
12								
13								2
14	10	10	10	10	10	10	10	10
15		1			•••	1		
16	10	10	10	10	10	10	10	10
17	•••	•••		•••			•••	

Table 4 Tally of unusual samples respect to xAcc

User	Come	Down	Freeze	Hurry up	Line abreast formation	Rally point	Stop	Vehicle
01								
02			2			1		
03								
04	10	10	10	10	9	10	10	
05	•••	•••		•••				
06								
07								
08								
09								
10								
11		1						
12					•••			
13							•••	2
14								-
15						1		
16								
17								

Table 5 Summary of categorized samples per user

User	Samples with conforming movements	Samples with unusual movements
01	80	0
02	54	26 (32.50%)
03	80	0
04	11	69 (86.25%)
05	80	0
06	0	80 (100%)
07	80	0
08	80	0
09	80	0
10	78	02 (2.50%)
11	79	01 (1.25%)
12	80	0
13	78	02 (2.50%)
14	0	80 (100%)
15	78	02 (2.50%)
16	0	80 (100%)
17	80	0
Total	1,018	342 (25.15%)

Table 6 Summary of categorized samples per gesture

Gesture	Samples with conforming movements	Samples with unusual movements
Come	130	40 (23.53%)
Down	127	43 (25.29%)
Freeze	120	50 (29.41%)
Hurry up	123	47 (27.65%)
Line abreast formation	131	39 (22.94%)
Rally point	119	51 (30.00%)
Stop	130	40 (23.53%)
Vehicle	138	32 (18.82%)
Total	1,018	342 (25.15%)

Most of the observed abnormalities were caused by a reversed chart movement compared to the majority of the samples from the same category. Normally, a user performs the Come gesture by raising an open hand from the side hip up to shoulder. A correct pitch movement should be a chart that starts low and sharply rises, mirroring a sharply rising hand. Users with a reversed movement showed charts with movement from high position and sharply dropping; 100% of the gesture data from users 06, 14, and 16 exhibited a reversed pitch feature movement and 86.25% of the gesture data from user 04 exhibited a reversed xAcc feature movement.

In most cases, cells with 10 indicate that all 10 samples exhibited a reversed pattern instead of sporadic sudden jumps or dips. Most users with reversed movement demonstrated consistent reverse movement throughout all 8 gestures. It is unclear why some user samples have these reversed movements. It would be reasonable to

assume that these reversed motions may have been caused by wearing the Myo armband in reverse. However, wearing the armband sensor backward would not affect the pitch in an inverse manner.

Minimal correlation was observed between unusual movements in the pitch feature and the xAcc feature. Users with many pitch movement irregularities had very few (if any) xAcc movement irregularities. For user 06, 100% of the samples were marked irregular due to its pitch feature; however, user 06's xAcc data moved in the same direction as the other xAcc samples. The same pattern is observed with users 14 and 16. From the xAcc perspective, 86.25% of user 04's samples were marked irregular due to its xAcc feature; however, no irregularities were found in user 04's pitch data.

Excluding the described reversed movements, there were only 13 (<1%) samples with abnormal pitch feature and 7 (<1%) samples with abnormal xAcc feature. Abnormalities in the xAcc group includes isolated increases or decreases in the beginning or at the end of the gesture movement.

5. Removal of Bad Samples Effect on Classification Accuracy

Once the 1,360 samples in the NATO gesture data set were analyzed and unusual samples were identified, they were removed from the training set. The remaining 1,018 approved samples were used to test and train a NB, LMT, and IBK classifier using a machine learning software called Weka.³ (Usage of the machine learning utility and generating the classifier is out of scope of this report). An ensemble classifier that combines the output of the LMT, IBK, and NB classifiers was also trained using this cleaned-up data set.

5.1 Naïve Bayes (NB) Classifier Accuracy

The NB classifier was compared against the same classifier trained with the entire 1,360 data set. Using the 10-fold cross validation approach, the NB model trained with 1,360 samples scored 72.5% accuracy, while the NB trained with 1,018 samples scored 7.7554 percentage points higher at 80.2554%.

What follows are the statistics generated from the NB classifier trained on the 1,360 sample and tested using 10-fold cross validation:

```
=== Summary ===
                                         986
                                                           72.5
Correctly Classified Instances
                                                                    %
Incorrectly Classified Instances
                                         374
                                                           27.5
                                                                    응
Kappa statistic
                                           0.6857
Mean absolute error
                                           0.0835
Root mean squared error
                                           0.2177
Relative absolute error
                                          38.1939 %
Root relative squared error
                                          65.8201 %
Coverage of cases (0.95 level)
                                          95.2206 %
Mean rel. region size (0.95 level)
                                          26.0478 %
Total Number of Instances
                                        1360
=== Detailed Accuracy By Class ===
                  TP Rate FP Rate Precision Recall
                                                          F-Measure
MCC
         ROC Area PRC Area Class
                  0.535
                           0.067
                                     0.532
                                                0.535
                                                          0.534
0.467
         0.900
                    0.530
                              freeze
                           0.018
                                     0.875
                                                0.865
                                                          0.870
                  0.865
0.851
         0.978
                    0.926
                              rally_point
                                                          0.487
                  0.429
                           0.048
                                     0.562
                                                0.429
0.429
         0.906
                    0.571
                              hurry_up
                                     0.964
                                                0.941
                                                          0.952
                  0.941
                           0.005
0.946
         0.998
                    0.988
                              down
                  0.735
                           0.048
                                                0.735
                                                          0.710
                                     0.687
0.668
         0.958
                   0.780
                              come
                  0.641
                           0.033
                                     0.736
                                                0.641
                                                          0.686
0.646
                    0.806
         0.965
                              stop
                  0.765
                           0.044
                                     0.714
                                                0.765
                                                          0.739
0.700
         0.972
                    0.813
                              line_abreast_formation
                           0.052
                                     0.709
                                                          0.789
                  0.888
                                                0.888
0.761
         0.979
                    0.877
                              vehicle
                        0.039
                                             0.725
Weighted Avg. 0.725
                                  0.722
                                                       0.721
0.684
         0.957
                    0.787
=== Confusion Matrix ===
       b
                                h
                                     <-- classified as
   а
           С
               d
                    е
                        f
                            g
     10
  91
          27
                0
                  12
                            0
                               30
                                       a = freeze
                        0
   4 147
           3
                0
                    8
                        0
                            0
                               8
                                       b = rally_point
  36
       8
          73
                0
                   33
                        0
                            0
                               20
                                       c = hurry_up
   9
       0
           1 160
                    0
                        0
                            0
                                 0
                                       d = down
                0 125
  24
       0
          17
                        0
                            0
                                 4
                                       e = come
   0
       1
           2
                6
                    0 109
                           52
                                 0
                                       f = stop
   0
       0
           1
                0
                    0
                       39 130
                                 0
                                       g = line_abreast_formation
                                       h = vehicle
   7
       2
           6
                0
                        0
                            0 151 |
                    4
```

The following are the statistics generated from the NB classifier trained on the vetted 1,018 sample and tested using 10-fold cross validation:

=== Summary ==	=		
Correctly Clas	sified Instances	817	80.2554
Incorrectly Cl	assified Instances	201	19.7446
%		0 5540	
Kappa statisti Mean absolute		0.7742 0.0579	
Root mean squa		0.1966	
Relative absolu		26.4897 %	
Root relative	squared error	59.4592 %	
	ses (0.95 level)	93.3202 %	
	on size (0.95 level)		
Total Number o	I Instances	1018	
=== Detailed A	ccuracy By Class ===	:	
	TP Rate FP Rate	Precision Recall	F-Measure
MCC ROC A	rea PRC Area Class		
0.600 0.065		0.701 0.742	0.721
0.682 0.965	0.710 freez 0.630 0.012		0.732
0.714 0.983		_point	0.732
	0.886 0.035		0.829
0.806 0.984	2		
	0.937 0.007		0.944
0.937 0.999	0.991 down 0.785 0.037		0.770
0.736 0.973		0.756 0.785	0.770
0.730 0.773	0.677 0.021	0.822 0.677	0.743
0.713 0.966			
	0.847 0.046		
0.753 0.964		_abreast_formation	
0 000		0.849 0.899	0.873
0.853 0.988	0.803 0.028 0.		0 801
0.776 0.978		0.003	0.001
=== Confusion	Matrix ===		
a b c	d e f g h	< classified as	.
89 0 1	3 27 0 0 0	a = freeze	
0 75 24	0 0 0 0 20	$b = rally_point$	
8 1 109	$\begin{bmatrix} 0 & 4 & 0 & 0 & 1 & 1 \\ 1 & 0 & 0 & 0 & 1 & 1 \end{bmatrix}$	c = hurry_up	
2 0 1 1 28 0 0	$egin{array}{cccccccccccccccccccccccccccccccccccc$	d = down e = come	
0 0 0	1 0 88 41 0	f = stop	
0 0 1	2 0 17 111 0	g = line_abreas	t_formation
0 10 4	0 0 0 0 124	h = vehicle	

In addition to the 7.7554% accuracy improvement, there are changes in the confusion matrix.

For example, before removing unusual samples, the Freeze gesture was misclassified as Vehicle (30 times), Hurry Up (27 times), Come (12 times), and

Rally Point (10 times). These misclassifications are intuitively unexpected because the Vehicle, Hurry Up, and Rally Point gestures are not similar to the Freeze gesture. However, after removing the unusual samples, the Freeze gesture was misclassified as Come (27 times), Down (3 times), and Hurry Up (1 time). These misclassifications are intuitively expected, because Freeze and Come gesture movements are very similar. (Appendix C categorizes all the unusual samples by gesture.)

5.2 Logistic Model Tree (LMT)

The LMT classifier was compared against the same classifier trained with the entire 1,360 data set. Using the 10-fold cross validation approach, the LMT trained with 1,360 samples scored 82.5% accuracy, while the LMT trained with 1,018 samples scored 7.4804 percentage points higher at 89.9804%.

The following are the statistics generated from the LMT classifier trained on the 1,360 sample and tested using 10-fold cross validation:

	y Classi tly Clas atistic olute er n square	fied Inst sified In ror d error	1122 238 0.8 0.04 0.19 20.45	47 89	82.5 % 17.5 %	
				60.15		
		s (0.95 l				
		. sıze (0. Instances		14.09 1360		
IOCAI Nu	mber or	Ilistances		1300		
=== Deta	iled Acc	uracy By	Class ===			
		1				
		TP Rate	FP Rate	Precision	Recall	F-Measure
MCC	ROC Are	a PRC Ar				
0 500	0 010			0.645	0.641	0.643
0.592	0.918	0.626			0.953	0.956
0.949	0 981	0.960		0.959	0.933	0.930
0.515	0.701			0.718	0.688	0.703
0.661	0.923	0.689				
				0.988	0.976	0.982
0.980	0.997	0.992				
0 506	0 040		0.042	0.730	0.794	0.761
0.726	0.949		come	0.868	0.888	0.878
0.860	0.978	0.864			0.000	0.070
0.000	0.570		0.018		0.865	0.870
0.851	0.982			abreast_for		
		0.794	0.024	0.823	0.794	0.808
0.782	0.957	0.817	vehic	le		

```
Weighted Avg. 0.825 0.025 0.826 0.825 0.825
      0.961 0.826
0.800
=== Confusion Matrix ===
     b
       С
           d e f g h <-- classified as
109
     2 18 0 24 0 0 17
                             a = freeze
       2 0 2 0 0 3
  1 162
                             b = rally_point
           2 20
     0 117
                 0 1
                        7
 23
                             c = hurry_up
  0
     0
        0 166
              0
                 0
                    3
                        1 |
                             d = down
           0 135
                    0
 15
     0 19
                 0
                       1 |
                             e = come
                             f = stop
  2
    1
        0
           0
              0 151 16
                         0 |
  1
     0
        0
            0
               0 22 147
                         0 |
                             g = line_abreast_formation
 18
            0 4 1 1 135
                           h = vehicle
```

The following are the statistics generated from the LMT classifier trained on the vetted 1,018 sample and tested using 10-fold cross validation:

Incorrect Kappa sta Mean abso Root mean Relative Root rela Coverage Mean rel	y Classi tly Clas atistic olute er n square absolut ative so of case . regior	fied Inst ssified In eror ed error te error quared err es (0.95 1	stances or evel) 95 level)	102 0.8 0.0 0.1 12.7 45.7 93.5 14.0	855 279 512 584 % 143 % 167 %	89.9804 % 10.0196 %
=== Deta	iled Acc	curacy By	Class ===			
MCC	ROC Are	TP Rate ea PRC Ar			Recall	F-Measure
				0.807	0.800	0.803
0.777	0.965	0.792		e 0.967	0.975	0.971
0.967	0.996	0.975			0.975	0.971
		0.976	0.006	0.960	0.976	0.968
0.963	0.992	0.984	hurry			
0.942	0.989	0.953	0.008 down	0.945	0.953	0.949
0.942	0.909	0.920		0.840	0.846	0.843
0.820	0.976	0.846				
				0.897	0.808	0.850
0.831	0.982	0.903	stop 0.029	0 010	0 001	0.858
0.837	0.982			0.819 abreast_fo		
0.007	0.702			0.970		
		0.973				
		0.904	014 0.	901 0	.900	0.900

```
=== Confusion Matrix ===
  а
      b
          С
              d
                  е
                      f
                          g
                              h
                                  <-- classified as
                              0
 96
      0
          2
              1
                 21
                      0
                          0
                                  a = freeze
  0 116
          0
                      0
                          0
                              3 |
                                    b = rally_point
              0
                 0
  1
      0 120
              1
                  0
                      0
                          0
                              1 |
                                    c = hurry_up
  3
      0
          1 121
                  0
                      0
                          2
                              0 |
                                    d = down
                                    e = come
 18
      1
         1
              0 110
                      0
                         0
                              0 |
  0
      0
          0
              1
                  0 105
                         24
                              0 |
                                    f = stop
  0
      0
          0
              1
                  0
                     12 118
                              0
                                    g = line_abreast_formation
  1
          1
              3
                  0
                      0
                          0 130 |
                                    h = vehicle
```

5.3 K-Nearest Neighbor (IBK)

The IBK classifier was compared against the same classifier trained with the entire 1,360 data set. Using the 10-fold cross validation approach, the IBK trained with 1,360 samples scored 93.2353% accuracy, while the IBK trained with 1,018 samples scored 5.809 percentage points lower at 87.4263%.

The following are the statistics generated from the IBK classifier trained on the 1,360 sample and tested using 10-fold cross validation:

	mary ===						
	_			1268		93.2353 %	
	_		stances	92		6.7647 %	
Kappa s	tatistic			0.92	227		
Mean ab	solute e	rror		0.01	0.0182		
Root me	an square	ed error		0.12	0.1296		
Relativ	e absolut	te error		8.32	8.3298 %		
Root re	lative so	quared err	or	39.19	39.1995 %		
Coverag	e of case	es (0.95 l	evel)	93.23	93.2353 %		
Mean re	1. region	n size (0.	95 level	12.5	%		
	_	Instances		1360			
=== Det	ailed Aco	curacy By	Class ===	=			
200	G110G 110		010.00				
		TP Rate	FP Rate	Precision	Recall	F-Measure	
MCC	ROC Are	ea PRC Ar					
				0.885	0.906	0.895	
0.880	0.945		freez				
0.000	0.713			0.982	0.959	0.970	
0.966	0.978				0.555	0.570	
0.500	0.570			0.927	0.900	0.913	
0.901	0.945				0.500	0.713	
0.501	0.743			0.994	0.976	0.985	
0.983	0.988		down		0.976	0.965	
0.963	0.900				0.935	0.922	
0.010	0 061			0.909	0.935	0.922	
0.910	0.961		come		0 000	0 004	
0.001	0.025		0.010		0.882	0.904	
0.891	0.936		stop				
				0.883		0.909	
0.896	0.959	0.834	line_	_abreast_for	rmation		

```
0.965 0.006 0.959 0.965 0.962
0.956 0.979 0.930 vehicle
Weighted Avg. 0.932 0.010 0.933
                                  0.932
                                         0.932
0.923
       0.961
              0.879
=== Confusion Matrix ===
           d e
     b
        С
                 f g h <-- classified as
  а
        5 0 6
                 0 0 5 |
154
     0
                             a = freeze
                    0
  2 163
        2
            0
               2
                  0
                        1 |
                             b = rally_point
  8
    1 153
          0 7
                 0 0 1
                            c = hurry_up
  0
    0
       0 166 0 1 3 0 |
                            d = down
  5
    1
        5 0 159 0 0 0 |
                             e = come
  1 0
        0
          1
               0 150 18
                       0 |
                            f = stop
  0
     0
        0
            0
               0 11 159
                         0 |
                             g = line_abreast_formation
                             h = vehicle
     1
        0
            0
               1
                 0
                     0 164 |
```

The following are the statistics generated from the IBK classifier trained on the vetted 1,018 sample and tested using 10-fold cross validation:

Incorrect Kappa sta Mean abso Root mean Relative Root rela Coverage Mean rel Total Num	y Classitly Classicatistic olute er absolute ative so of case regior	ed error ce error quared err es (0.95 l	128 0.8 0.0 0.1 15.1 53.3 87.4 12.5	3563 3331 .766 .157 % 3919 %	87.4263 % 12.5737 %	
MCC	ROC Are	ea PRC Ar	ea Class			F-Measure
0.763	0.903		freez	e 0.926	0.941	0.933
0.924	0.963	0.884		_point	0.894	
0.897	0.940		hurry		0.894	0.909
		0.913	0.009	0.935	0.913	0.924
0.914	0.952		down			
0.800	0 004	0.792 0.712		0.858	0.792	0.824
0.800	0.884			0.831	0.831	0.831
0.806	0.905	0.723	stop	0.007	0.001	0.001
		0.824				
0.787	0.904			abreast_fo 0.992		
0.966	0.975	0.949			0.949	0.970
Weighted	Avg. 0.			878 C	.874	0.875

```
=== Confusion Matrix ===
      b
          С
             d
                е
                     f
                            h
                               <-- classified as
                       g
  а
102
    0
          3
             1 14
                     0
                         0 0 |
                                a = freeze
  2 112
          3
             1 0
                     0
                         0
                            1 |
                                 b = rally point
      1 110
             2
                 3
                     0
                         0
                            0 |
                                  c = hurry up
  3
      1
         1 116
                 0
                     2
                         4
                            0 |
                                  d = down
 24
      2
             0 103
                     0
                         0
          1
                            0 1
                                  e = come
  0
      0
          0
             0
                 0 108
                        22
                            0
                                  f = stop
  0
      0
          0
             3
                 0
                    20 108
                            0
                                  g = line_abreast_formation
  0
      5
             1
                 0
                   0
                         0 131 |
                                h = vehicle
```

5.4 Ensemble Classifier Accuracy

The vetted samples were tested further with a more complex classifier. The 1,018 vetted samples were used to train a Voting classifier configured to use LMT, IBK, and NB. The Voting classifier was compared against the same classifier trained with the entire 1,360 data set. Using the 10-fold cross validation approach, the Voting model trained with 1,360 samples scored 89.5588% accuracy, while the Voting model trained with 1,018 samples scored 0.7162% higher at 90.275%.

The following are the statistics generated from the Voting classifier trained on the 1,360 sample and tested using 10-fold cross validation:

```
=== Stratified cross-validation ===
=== Summary AFTER Voting classifier combining LMT + IBK + NB ===
                                    1218
Correctly Classified Instances
                                                     89.5588 %
Incorrectly Classified Instances
                                    142
                                                     10.4412 %
                                      0.8807
Kappa statistic
Mean absolute error
                                      0.0488
Root mean squared error
                                      0.1401
Relative absolute error
                                    22.3254 %
                                     42.3531 %
Root relative squared error
Coverage of cases (0.95 level)
                                     99.1912 %
Mean rel. region size (0.95 level)
                                     23.0331 %
Total Number of Instances
                                    1360
=== Detailed Accuracy By Class ===
                TP Rate FP Rate Precision Recall
                                                    F-Measure
MCC
        ROC Area PRC Area Class
                0.800 0.028
                                 0.805
                                           0.800
                                                    0.802
0.774
        0.982
                0.880 freeze
                0.965 0.002
                                0.988
                                           0.965
                                                    0.976
                0.994 rally_point
0.973
        0.998
                0.794
                        0.015
                                 0.882
                                           0.794
                                                    0.836
0.815
        0.990
                0.937
                        hurry_up
                1.000
                        0.001
                                 0.994
                                           1.000
                                                    0.997
                1.000
0.997
        1.000
                           down
                        0.023
                                 0.852
                                           0.912
                                                    0.881
                0.912
0.864
        0.992 0.960 come
```

```
0.871
                         0.015
                                                       0.881
                                  0.892
                                              0.871
0.864
         0.992
                   0.958
                            stop
                                   0.884
                                              0.894
                                                       0.889
                 0.894
                          0.017
0.873
         0.994
                   0.945
                            line_abreast_formation
                 0.929
                         0.019
                                  0.873
                                                       0.900
                                              0.929
0.886
         0.996
                   0.974
                            vehicle
Weighted Avg. 0.896
                     0.015
                               0.896
                                          0.896
                                                    0.895
                  0.956
0.881
        0.993
=== Confusion Matrix ===
      b
          С
              d
                      f
                             h
                                   <-- classified as
  а
                  е
                          g
 136
      1
          7
               0
                 13
                       0
                          0
                             13 |
                                    a = freeze
  1 164
          1
               0
                 1
                       0
                          0
                             3 |
                                    b = rally_point
 17
      0 135
               0
                 12
                      0
                          0
                               6
                                    c = hurry_up
  0
      0
          0 170
                  0
                      0
                          0
                               0
                                    d = down
   6
      0
          8
               0 155
                      0
                          0
                              1
                                    e = come
  1
      0
          0
              1
                  0 148
                         20
                               0
                                    f = stop
   0
      0
          0
               0
                   0
                     18 152
                               0
                                    g = line_abreast_formation
   8
      1
           2
                  1
                      0
                          0 158 |
                                    h = vehicle
```

The following are the statistics generated from the Voting classifier trained on the vetted 1,018 sample and tested using 10-fold cross validation:

=== Summ	ary ===								
Incorrec Kappa st Mean abs Root mea Relative Root rel Coverage Mean rel	tly Class atistic olute er n square absolut ative square of case regior	ed error	stances or evel) 95 level)		888 896 851 813 % 879 %	90.275 9.725			
=== Deta	=== Detailed Accuracy By Class ===								
MCC	ROC Are	ea PRC Ar	ea Class				е		
0.810	0.987	0.902	freez		0.850				
0.948	0.999	0.994	0.007 rally	_point	0.958	0.954			
0.958	1.000			0.967 _up	0.959	0.963			
0.955	1.000		0.007 down	0.953	0.969	0.961			
0.846	0.990	0.869	0.020	0.863	0.869	0.866			
		0.792	0.015	0.888	0.792	0.837			
0.817	0.987	0.934 0.885			0.885	0.847			
0.824	0.986	0.870	line_	_abreast_for	mation				

```
0.942 0.002 0.985
                                      0.942
                                             0.963
0.958 1.000 0.997 vehicle
Weighted Avg. 0.903 0.014 0.904
                                   0.903
                                           0.903
     0.993
0.889
            0.951
=== Confusion Matrix ===
                      g h <-- classified as
     b
        С
            d e
                   f
  а
       1
          0 17
102
     Ω
                   0
                      0
                        0 |
                              a = freeze
  0 114
         2
            1
               0
                   0
                      0
                         2 |
                              b = rally_point
  4
     0 118
           0
               1
                   0
                      0
                         0
                              c = hurry_up
                     1
    0 0 123 0
                         0
  3
                   0
                              d = down
 16
    0 1 0 113
                   0
                     0
                         0 |
                              e = come
  0
    0 0 1 0 103 26
                         0 |
                              f = stop
  0
     0 0 2 0 13 116
                         0 |
                              g = line_abreast_formation
  0
     6
         0
            2
               0
                 0
                      0 130 |
                              h = vehicle
```

6. Conclusion


By cleaning up the gesture data set, most of the tested classifiers saw an improvement in their accuracy. The improvement in the LMT and NB classifiers, which try to fit the data to some underlying model, may be due to fact that by cleaning up the data it was much easier to fit them to a single simple model. However, IBK, which classifies solely based on distance measurements, may suffer from the lack of variability if one or a set of test gestures is different from the gestures it was trained on. Regardless of whether cleaning up the data set improved or reduced the accuracy of the individual classifiers, it did have a substantial impact on the accuracy. In the case of the ensemble classifier, the same cannot be said. Cleaning up the data set lead to only moderate improvements in the accuracy. Because the ensemble classifier tries to take the best of each of the constituent classifiers, it may be complex enough to actually compensate for the unclean data in the raw data set. Thus, by cleaning up the data set, only moderate improvement in accuracy is achieved. It is of note, however, that for the cleaned-up data set the ensemble classifier performs slightly better than any individual classifier.

Data analysis is an important part of conducting an experiment. It may reveal trends and patterns in the data not immediately apparent to the investigator. Understanding the data can help identify and segregate unusual data that negatively affect predictive model training. In machine learning, abnormal data can hinder predictive models and result in less-accurate classifiers. ARL analyzed the pitch and xAccel_g features of the NATO gesture movement data set to identify samples that did not conform to the general trend of the whole data set. This information was used to adjust how the classifiers were trained and affected the accuracy of the classifiers.

7. References

- 1. Lee M, Rao N. Hand gesture data collection procedure using a Myo armband for machine learning. Adelphi (MD): Army Research Laboratory (US); 2015. Report No.: ARL-TN-0699.
- 2. Lee M, Harrison A, Winkler R. Squad-level command and control using the Myo for tactical hand signal recognition. International Command and Control Research and Technology Symposium (ICCRTS); 2016 Sep 6–8; London, UK.
- 3. Weka. Weka 3: data mining software in Java. Hamilton (New Zealand): University of Waikato; n.d. [accessed 2016 Dec]. http://www.cs.waikato.ac.nz/ml/weka/.

INTENTIONALLY LEFT BLANK






Fig. A-1 Come gesture, pitch feature, user 06. All samples exhibit reversed movement.




Fig. A-2 Come gesture, pitch feature, user 14. All samples exhibit reversed movement.




Fig. A-3 Come gesture, pitch feature, user 16. All samples exhibit reversed movement.




Fig. A-4 Down gesture, pitch feature, user 02. Sample 10 exhibit unusual movement at the end.




Fig. A-5 Down gesture, pitch feature, user 06. All samples exhibit reversed movement.




Fig. A-6 Down gesture, pitch feature, user 11. Sample 01 exhibit unusual movement at the end.






Fig. A-7 Down gesture, pitch feature, user 14. All samples exhibit reversed movement.




Fig. A-8 Down gesture, pitch feature, user 02. Sample 08 exhibit unusual movement at the end.






Fig. A-9 Down gesture, pitch feature, user 16. All samples exhibit reversed movement.




Fig. A-10Freeze gesture, pitch feature, user 02. All samples exhibit reversed movement.




Fig. A-11 Freeze gesture, pitch feature, user 06. All samples exhibit reversed movement.




Fig. A-12Freeze gesture, pitch feature, user 14. All samples exhibit reversed movement.




Fig. A-13 Freeze gesture, pitch feature, user 16. All samples exhibit reversed movement.




Fig. A-14Hurry up gesture, pitch feature, user 02. Sample 01-05 exhibit reversed movement.




Fig. A-15 Hurry up gesture, pitch feature, user 06. All samples exhibit reversed movement.




Fig. A-16 Hurry up gesture, pitch feature, user 10. Sample 06 and 08 exhibit unusual movement at the end.




Fig. A-17 Hurry up gesture, pitch feature, user 14. All samples exhibit reversed movement.





Fig. A-18 Hurry up gesture, pitch feature, user 16. All samples exhibit reversed movement.







Fig. A-19Line abreast formation gesture, pitch feature, user 06. All samples exhibit reversed movement.



 $Fig. \ A-20Line \ abreast \ formation \ gesture, \ pitch \ feature, \ user \ 14. \ All \ samples \ exhibit \ reversed \ movement.$






Fig. A-21Line abreast formation gesture, pitch feature, user 16. All samples exhibit reversed movement.




Fig. A-22 Rally point gesture, pitch feature, user 02. All samples exhibit reversed movement.




Fig. A-23 Rally point gesture, pitch feature, user 06. All samples exhibit reversed movement.




Fig. A-24 Rally point gesture, pitch feature, user 14. All samples exhibit reversed movement.




Fig. A-25 Rally point gesture, pitch feature, user 15. Sample 06 exhibit unusual movement at the end.




Fig. A-26 Rally point gesture, pitch feature, user 16. All samples exhibit reversed movement.

Approved for public release; distribution is unlimited.

User 6, 'stop' gesture's pitch movements




Fig. A-27 Stop gesture, pitch feature, user 06. All samples exhibit reversed movement.




Fig. A-28 Stop gesture, pitch feature, user 14. All samples exhibit reversed movement.

User 16, 'stop' gesture's pitch movements




Fig. A-29 Stop gesture, pitch feature, user 16. All samples exhibit reversed movement.




Fig. A-30 Vehicle gesture, pitch feature, user 06. All samples exhibit reversed movement.




Fig. A-31 Vehicle gesture, pitch feature, user 13. Sample 01 and 06 exhibit unusual movement at the end.





Fig. A-32 Vehicle gesture, pitch feature, user 14. All samples exhibit reversed movement.







Fig. A-33 Vehicle gesture, pitch feature, user 16. All samples exhibit reversed movement.






Fig. B-1 Come gesture, xAcc feature, user 04. All samples exhibit reversed movement.




Fig. B-2 Down gesture, xAcc feature, user 04. All samples exhibit reversed movement.




Fig. B-3 Down gesture, xAcc feature, user 11. Sample 01 exhibit unusual movement at the end.




Fig. B-4 Freeze gesture, xAcc feature, user 02. Sample 01 and 04 exhibit unusual movement

Approved for public release; distribution is unlimited.

at the end.




Fig. B-5 Freeze gesture, xAcc feature, user 04. All samples exhibit reversed movement.




Fig. B-6 Hurry up gesture, xAcc feature, user 04. All samples exhibit reversed movement.





Fig. B-7 Line abreast formation gesture, xAcc feature, user 04. Samples 01-09 exhibit reversed movement.



User 2, 'rally_point' gesture's xAcc movements

Fig. B-8 Rally point gesture, xAcc feature, user 02. Sample 05 exhibit unusual movement at the end.




Fig. B-9 Rally point gesture, xAcc feature, user 04. All samples exhibit reversed movement.




Fig. B-10 Rally point gesture, xAcc feature, user 15. Sample 06 exhibit unusual movement at the end.




Fig. B-11 Stop gesture, xAcc feature, user 04. All samples exhibit reversed movement.





Fig. B-12 Vehicle gesture, xAcc feature, user 13. Sample 01 and 06 exhibit unusual movement at the end.

INTENTIONALLY LEFT BLANK.



Come

User 04 - come - 01 User 04 - come - 02 User 04 - come - 03 User 04 - come - 04 User 04 - come - 05 User 04 - come - 06 User 04 - come - 07 User 04 - come - 08 User 04 - come - 09 User 04 - come - 10	[Exhibit reversed xAcc movement]
User 06 - come - 01 User 06 - come - 02 User 06 - come - 03 User 06 - come - 04 User 06 - come - 05 User 06 - come - 06 User 06 - come - 07 User 06 - come - 08 User 06 - come - 09 User 06 - come - 10	[Exhibit reversed Pitch movement]
User 14 - come - 01 User 14 - come - 02 User 14 - come - 03 User 14 - come - 04 User 14 - come - 05 User 14 - come - 06 User 14 - come - 07 User 14 - come - 08 User 14 - come - 09 User 14 - come - 10	[Exhibit reversed Pitch movement]
User 16 - come - 01 User 16 - come - 02 User 16 - come - 03 User 16 - come - 04 User 16 - come - 05 User 16 - come - 06 User 16 - come - 07 User 16 - come - 08 User 16 - come - 09 User 16 - come - 10	[Exhibit reversed Pitch movement]

Down

```
User 02 - down - 10
                     [Exhibit unusual Pitch movement at the end]
User 04 - down - 01
                     [Exhibit reversed xAcc movement]
User 04 - down - 02
                     [Exhibit reversed xAcc movement]
User 04 - down - 03
                     [Exhibit reversed xAcc movement]
User 04 - down - 04
                     [Exhibit reversed xAcc movement]
User 04 - down - 05
                     [Exhibit reversed xAcc movement]
User 04 - down - 06
                     [Exhibit reversed xAcc movement]
User 04 - down - 07
                     [Exhibit reversed xAcc movement]
User 04 - down - 08
                     [Exhibit reversed xAcc movement]
User 04 - down - 09
                     [Exhibit reversed xAcc movement]
User 04 - down - 10
                     [Exhibit reversed xAcc movement]
User 06 - down - 01
                     [Exhibit reversed Pitch movement]
User 06 - down - 02
                     [Exhibit reversed Pitch movement]
User 06 - down - 03
                     [Exhibit reversed Pitch movement]
User 06 - down - 04
                     [Exhibit reversed Pitch movement]
User 06 - down - 05
                     [Exhibit reversed Pitch movement]
User 06 - down - 06
                     [Exhibit reversed Pitch movement]
User 06 - down - 07
                     [Exhibit reversed Pitch movement]
User 06 - down - 08
                     [Exhibit reversed Pitch movement]
User 06 - down - 09
                     [Exhibit reversed Pitch movement]
User 06 - down - 10
                     [Exhibit reversed Pitch movement]
User 11 - down - 01
                     [Exhibit unusual Pitch and xACC movement at the end]
User 14 - down - 01
                     [Exhibit reversed Pitch movement]
User 14 - down - 02
                     [Exhibit reversed Pitch movement]
User 14 - down - 03
                     [Exhibit reversed Pitch movement]
User 14 - down - 04
                     [Exhibit reversed Pitch movement]
User 14 - down - 05
                     [Exhibit reversed Pitch movement]
User 14 - down - 06
                     [Exhibit reversed Pitch movement]
User 14 - down - 07
                     [Exhibit reversed Pitch movement]
User 14 - down - 08
                     [Exhibit reversed Pitch movement]
User 14 - down - 09
                     [Exhibit reversed Pitch movement]
User 14 - down - 10
                     [Exhibit reversed Pitch movement]
User 15 - down - 08
                     [Exhibit unusual Pitch movement at the end]
User 16 - down - 01
                     [Exhibit reversed Pitch movement]
User 16 - down - 02
                     [Exhibit reversed Pitch movement]
User 16 - down - 03
                     [Exhibit reversed Pitch movement]
User 16 - down - 04
                     [Exhibit reversed Pitch movement]
User 16 - down - 05
                     [Exhibit reversed Pitch movement]
User 16 - down - 06
                     [Exhibit reversed Pitch movement]
```

User 16 - down - 07	[Exhibit reversed Pitch movement]
User 16 - down - 08	[Exhibit reversed Pitch movement]
User 16 - down - 09	[Exhibit reversed Pitch movement]
User 16 - down - 10	[Exhibit reversed Pitch movement]

OSCI 10 - down - 10	[Exhibit reversed 1 herr movement]
Freeze	
User 02 - freeze - 01	[Exhibit reversed Pitch movement and unusual xAcc
movement at the end]	_
User 02 - freeze - 02	[Exhibit reversed Pitch movement]
User 02 - freeze - 03	[Exhibit reversed Pitch movement]
User 02 - freeze - 04	[Exhibit reversed Pitch movement and unusual xAcc
movement at the end]	
User 02 - freeze - 05	[Exhibit reversed Pitch movement]
User 02 - freeze - 06	[Exhibit reversed Pitch movement]
User 02 - freeze - 07	[Exhibit reversed Pitch movement]
User 02 - freeze - 08	[Exhibit reversed Pitch movement]
User 02 - freeze - 09	[Exhibit reversed Pitch movement]
User 02 - freeze - 10	[Exhibit reversed Pitch movement]
User 04 - freeze - 01	[Exhibit reversed xAcc movement]
User 04 - freeze - 02	[Exhibit reversed xAcc movement]
User 04 - freeze - 03	[Exhibit reversed xAcc movement]
User 04 - freeze - 04	[Exhibit reversed xAcc movement]
User 04 - freeze - 05	[Exhibit reversed xAcc movement]
User 04 - freeze - 06	[Exhibit reversed xAcc movement]
User 04 - freeze - 07	[Exhibit reversed xAcc movement]
User 04 - freeze - 08	[Exhibit reversed xAcc movement]
User 04 - freeze - 09	[Exhibit reversed xAcc movement]
User 04 - freeze - 10	[Exhibit reversed xAcc movement]
User 06 - freeze - 01	[Exhibit reversed Pitch movement]
User 06 - freeze - 02	[Exhibit reversed Pitch movement]
User 06 - freeze - 03	[Exhibit reversed Pitch movement]
User 06 - freeze - 04	[Exhibit reversed Pitch movement]
User 06 - freeze - 05	[Exhibit reversed Pitch movement]
User 06 - freeze - 06	[Exhibit reversed Pitch movement]
User 06 - freeze - 07	[Exhibit reversed Pitch movement]
User 06 - freeze - 08	[Exhibit reversed Pitch movement]
User 06 - freeze - 09	[Exhibit reversed Pitch movement]
User 06 - freeze - 10	[Exhibit reversed Pitch movement]
User 14 - freeze - 01	[Exhibit reversed Pitch movement]
User 14 - freeze - 02	[Exhibit reversed Pitch movement]
User 14 - freeze - 03	[Exhibit reversed Pitch movement]
User 14 - freeze - 04	[Exhibit reversed Pitch movement]
User 14 - freeze - 05	[Exhibit reversed Pitch movement]

User 14 - freeze - 06 User 14 - freeze - 07 User 14 - freeze - 08 User 14 - freeze - 09 User 14 - freeze - 10	[Exhibit reversed Pitch movement]
User 16 - freeze - 01 User 16 - freeze - 02 User 16 - freeze - 03 User 16 - freeze - 04 User 16 - freeze - 05 User 16 - freeze - 06 User 16 - freeze - 07 User 16 - freeze - 08 User 16 - freeze - 09 User 16 - freeze - 10	[Exhibit reversed Pitch movement]

Hurry Up

J	
User 02 - hurry_up - 01	[Exhibit reversed Pitch movement]
User 02 - hurry_up - 02	[Exhibit reversed Pitch movement]
User 02 - hurry_up - 03	[Exhibit reversed Pitch movement]
User 02 - hurry_up - 04	[Exhibit reversed Pitch movement]
User 02 - hurry_up - 05	[Exhibit reversed Pitch movement]
User 04 - hurry_up - 01	[Exhibit reversed xAcc movement]
User 04 - hurry_up - 02	[Exhibit reversed xAcc movement]
User 04 - hurry_up - 03	[Exhibit reversed xAcc movement]
User 04 - hurry_up - 04	[Exhibit reversed xAcc movement]
User 04 - hurry_up - 05	[Exhibit reversed xAcc movement]
User 04 - hurry_up - 06	[Exhibit reversed xAcc movement]
User 04 - hurry_up - 07	[Exhibit reversed xAcc movement]
User 04 - hurry_up - 08	[Exhibit reversed xAcc movement]
User 04 - hurry_up - 09	[Exhibit reversed xAcc movement]
User 04 - hurry_up - 10	[Exhibit reversed xAcc movement]
User 06 - hurry_up - 01	[Exhibit reversed Pitch movement]
User 06 - hurry_up - 02	[Exhibit reversed Pitch movement]
User 06 - hurry_up - 03	[Exhibit reversed Pitch movement]
User 06 - hurry_up - 04	[Exhibit reversed Pitch movement]
User 06 - hurry_up - 05	[Exhibit reversed Pitch movement]
User 06 - hurry_up - 06	[Exhibit reversed Pitch movement]
User 06 - hurry_up - 07	[Exhibit reversed Pitch movement]
User 06 - hurry_up - 08	[Exhibit reversed Pitch movement]
User 06 - hurry_up - 09	[Exhibit reversed Pitch movement]
User 06 - hurry_up - 10	[Exhibit reversed Pitch movement]

User 10 - hurry_up - 06	[Exhibit unusual Pitch movement at the end]
User 10 - hurry_up - 08	[Exhibit unusual Pitch movement at the end]
User 14 - hurry_up - 01	[Exhibit reversed Pitch movement]
User 14 - hurry_up - 02	[Exhibit reversed Pitch movement]
User 14 - hurry_up - 03	[Exhibit reversed Pitch movement]
User 14 - hurry_up - 04	[Exhibit reversed Pitch movement]
User 14 - hurry_up - 05	[Exhibit reversed Pitch movement]
User 14 - hurry_up - 06	[Exhibit reversed Pitch movement]
User 14 - hurry_up - 07	[Exhibit reversed Pitch movement]
User 14 - hurry_up - 08	[Exhibit reversed Pitch movement]
User 14 - hurry_up - 09	[Exhibit reversed Pitch movement]
User 14 - hurry_up - 10	[Exhibit reversed Pitch movement]
User 16 - hurry_up - 01	[Exhibit reversed Pitch movement]
User 16 - hurry_up - 02	[Exhibit reversed Pitch movement]
User 16 - hurry_up - 03	[Exhibit reversed Pitch movement]
User 16 - hurry_up - 04	[Exhibit reversed Pitch movement]
User 16 - hurry_up - 05	[Exhibit reversed Pitch movement]
User 16 - hurry_up - 06	[Exhibit reversed Pitch movement]
User 16 - hurry_up - 07	[Exhibit reversed Pitch movement]
User 16 - hurry_up - 08	[Exhibit reversed Pitch movement]
User 16 - hurry_up - 09	[Exhibit reversed Pitch movement]
User 16 - hurry_up - 10	[Exhibit reversed Pitch movement]

Line Abreast Formation

User 04 - line_abreast_formation - 01	[Exhibit reversed xAcc movement]
User 04 - line_abreast_formation - 02	[Exhibit reversed xAcc movement]
User 04 - line_abreast_formation - 03	[Exhibit reversed xAcc movement]
User 04 - line_abreast_formation - 04	[Exhibit reversed xAcc movement]
User 04 - line_abreast_formation - 05	[Exhibit reversed xAcc movement]
User 04 - line_abreast_formation - 06	[Exhibit reversed xAcc movement]
User 04 - line_abreast_formation - 07	[Exhibit reversed xAcc movement]
User 04 - line_abreast_formation - 08	[Exhibit reversed xAcc movement]
User 04 - line_abreast_formation - 09	[Exhibit reversed xAcc movement]
User 06 - line_abreast_formation - 01	[Exhibit reversed Pitch movement]
User 06 - line_abreast_formation - 02	[Exhibit reversed Pitch movement]
User 06 - line_abreast_formation - 03	[Exhibit reversed Pitch movement]
User 06 - line_abreast_formation - 04	[Exhibit reversed Pitch movement]
User 06 - line_abreast_formation - 05	[Exhibit reversed Pitch movement]
User 06 - line_abreast_formation - 06	[Exhibit reversed Pitch movement]
User 06 - line_abreast_formation - 07	[Exhibit reversed Pitch movement]
User 06 - line_abreast_formation - 08	[Exhibit reversed Pitch movement]
User 06 - line_abreast_formation - 09	[Exhibit reversed Pitch movement]
User 06 - line_abreast_formation - 10	[Exhibit reversed Pitch movement]

User 14 - line_abreast_formation - 01 User 14 - line_abreast_formation - 02 User 14 - line_abreast_formation - 03 User 14 - line_abreast_formation - 04 User 14 - line_abreast_formation - 05	[Exhibit reversed Pitch movement]
User 14 - line_abreast_formation - 06	[Exhibit reversed Pitch movement]
User 14 - line_abreast_formation - 07	[Exhibit reversed Pitch movement]
User 14 - line_abreast_formation - 08	[Exhibit reversed Pitch movement]
User 14 - line_abreast_formation - 09 User 14 - line_abreast_formation - 10	[Exhibit reversed Pitch movement] [Exhibit reversed Pitch movement]
	_
User 16 - line_abreast_formation - 01	[Exhibit reversed Pitch movement]
	-
User 16 - line_abreast_formation - 02	[Exhibit reversed Pitch movement]
	-
User 16 - line_abreast_formation - 02	[Exhibit reversed Pitch movement]
User 16 - line_abreast_formation - 02 User 16 - line_abreast_formation - 03	[Exhibit reversed Pitch movement] [Exhibit reversed Pitch movement]
User 16 - line_abreast_formation - 02 User 16 - line_abreast_formation - 03 User 16 - line_abreast_formation - 04	[Exhibit reversed Pitch movement] [Exhibit reversed Pitch movement] [Exhibit reversed Pitch movement]
User 16 - line_abreast_formation - 02 User 16 - line_abreast_formation - 03 User 16 - line_abreast_formation - 04 User 16 - line_abreast_formation - 05	[Exhibit reversed Pitch movement] [Exhibit reversed Pitch movement] [Exhibit reversed Pitch movement] [Exhibit reversed Pitch movement]
User 16 - line_abreast_formation - 02 User 16 - line_abreast_formation - 03 User 16 - line_abreast_formation - 04 User 16 - line_abreast_formation - 05 User 16 - line_abreast_formation - 06	[Exhibit reversed Pitch movement]
User 16 - line_abreast_formation - 02 User 16 - line_abreast_formation - 03 User 16 - line_abreast_formation - 04 User 16 - line_abreast_formation - 05 User 16 - line_abreast_formation - 06 User 16 - line_abreast_formation - 07	[Exhibit reversed Pitch movement]

Rally Point

v	
User 02 - rally_point - 01	[Exhibit reversed Pitch movement]
User 02 - rally_point - 02	[Exhibit reversed Pitch movement]
User 02 - rally_point - 03	[Exhibit reversed Pitch movement]
User 02 - rally_point - 04	[Exhibit reversed Pitch movement]
User 02 - rally_point - 05	[Exhibit reversed Pitch movement and unusual
xAcc movement]	-
User 02 - rally_point - 06	[Exhibit reversed Pitch movement]
User 02 - rally_point - 07	[Exhibit reversed Pitch movement]
User 02 - rally_point - 08	[Exhibit reversed Pitch movement]
User 02 - rally_point - 09	[Exhibit reversed Pitch movement]
User 02 - rally_point - 10	[Exhibit reversed Pitch movement]
• 1	
User 04 - rally_point - 01	[Exhibit reversed xAcc movement]
User 04 - rally_point - 02	[Exhibit reversed xAcc movement]
User 04 - rally_point - 03	[Exhibit reversed xAcc movement]
User 04 - rally_point - 04	[Exhibit reversed xAcc movement]
User 04 - rally_point - 05	[Exhibit reversed xAcc movement]
User 04 - rally_point - 06	[Exhibit reversed xAcc movement]
User 04 - rally_point - 07	[Exhibit reversed xAcc movement]
User 04 - rally_point - 08	[Exhibit reversed xAcc movement]
User 04 - rally_point - 09	[Exhibit reversed xAcc movement]
User 04 - rally_point - 10	[Exhibit reversed xAcc movement]

```
User 06 - rally_point - 01
                             [Exhibit reversed Pitch movement]
User 06 - rally_point - 02
                             [Exhibit reversed Pitch movement]
User 06 - rally_point - 03
                             [Exhibit reversed Pitch movement]
User 06 - rally_point - 04
                             [Exhibit reversed Pitch movement]
User 06 - rally_point - 05
                             [Exhibit reversed Pitch movement]
User 06 - rally point - 06
                             [Exhibit reversed Pitch movement]
User 06 - rally_point - 07
                             [Exhibit reversed Pitch movement]
User 06 - rally_point - 08
                             [Exhibit reversed Pitch movement]
User 06 - rally_point - 09
                             [Exhibit reversed Pitch movement]
User 06 - rally_point - 10
                             [Exhibit reversed Pitch movement]
User 14 - rally_point - 01
                             [Exhibit reversed Pitch movement]
User 14 - rally_point - 02
                             [Exhibit reversed Pitch movement]
User 14 - rally_point - 03
                             [Exhibit reversed Pitch movement]
User 14 - rally_point - 04
                             [Exhibit reversed Pitch movement]
User 14 - rally point - 05
                             [Exhibit reversed Pitch movement]
User 14 - rally_point - 06
                             [Exhibit reversed Pitch movement]
User 14 - rally_point - 07
                             [Exhibit reversed Pitch movement]
User 14 - rally_point - 08
                             [Exhibit reversed Pitch movement]
User 14 - rally_point - 09
                             [Exhibit reversed Pitch movement]
User 14 - rally point - 10
                             [Exhibit reversed Pitch movement]
User 15 - rally_point - 06
                             [Exhibit unusual Pitch and xAcc movement at the
end]
User 16 - rally_point - 01
                             [Exhibit reversed Pitch movement]
User 16 - rally_point - 02
                             [Exhibit reversed Pitch movement]
User 16 - rally_point - 03
                             [Exhibit reversed Pitch movement]
User 16 - rally point - 04
                             [Exhibit reversed Pitch movement]
User 16 - rally_point - 05
                             [Exhibit reversed Pitch movement]
User 16 - rally_point - 06
                             [Exhibit reversed Pitch movement]
User 16 - rally_point - 07
                             [Exhibit reversed Pitch movement]
User 16 - rally_point - 08
                             [Exhibit reversed Pitch movement]
User 16 - rally_point - 09
                             [Exhibit reversed Pitch movement]
User 16 - rally_point - 10
                             [Exhibit reversed Pitch movement]
Stop
User 04 - stop - 01
                      [Exhibit reversed xAcc movement]
User 04 - stop - 02
                      [Exhibit reversed xAcc movement]
User 04 - stop - 03
                      [Exhibit reversed xAcc movement]
User 04 - stop - 04
                      [Exhibit reversed xAcc movement]
User 04 - stop - 05
                      [Exhibit reversed xAcc movement]
User 04 - stop - 06
                      [Exhibit reversed xAcc movement]
User 04 - stop - 07
                      [Exhibit reversed xAcc movement]
User 04 - stop - 08
                      [Exhibit reversed xAcc movement]
```

User 04 - stop - 09	[Exhibit reversed xAcc movement]
User 04 - stop - 10	[Exhibit reversed xAcc movement]
•	
User 06 - stop - 01	[Exhibit reversed Pitch movement]
User 06 - stop - 02	[Exhibit reversed Pitch movement]
User 06 - stop - 03	[Exhibit reversed Pitch movement]
User 06 - stop - 04	[Exhibit reversed Pitch movement]
User 06 - stop - 05	[Exhibit reversed Pitch movement]
User 06 - stop - 06	[Exhibit reversed Pitch movement]
User 06 - stop - 07	[Exhibit reversed Pitch movement]
User 06 - stop - 08	[Exhibit reversed Pitch movement]
User 06 - stop - 09	[Exhibit reversed Pitch movement]
User 06 - stop - 10	[Exhibit reversed Pitch movement]
-	
User 14 - stop - 01	[Exhibit reversed Pitch movement]
User 14 - stop - 02	[Exhibit reversed Pitch movement]
User 14 - stop - 03	[Exhibit reversed Pitch movement]
User 14 - stop - 04	[Exhibit reversed Pitch movement]
User 14 - stop - 05	[Exhibit reversed Pitch movement]
User 14 - stop - 06	[Exhibit reversed Pitch movement]
User 14 - stop - 07	[Exhibit reversed Pitch movement]
User 14 - stop - 08	[Exhibit reversed Pitch movement]
User 14 - stop - 09	[Exhibit reversed Pitch movement]
User 14 - stop - 10	[Exhibit reversed Pitch movement]
1	
User 16 - stop - 01	[Exhibit reversed Pitch movement]
User 16 - stop - 02	[Exhibit reversed Pitch movement]
User 16 - stop - 03	[Exhibit reversed Pitch movement]
User 16 - stop - 04	[Exhibit reversed Pitch movement]
User 16 - stop - 05	[Exhibit reversed Pitch movement]
User 16 - stop - 06	[Exhibit reversed Pitch movement]
User 16 - stop - 07	[Exhibit reversed Pitch movement]
User 16 - stop - 08	[Exhibit reversed Pitch movement]
User 16 - stop - 09	[Exhibit reversed Pitch movement]
User 16 - stop - 10	[Exhibit reversed Pitch movement]
1	. ,

Vehicle

User 06 - vehicle - 01 [Exhibit reversed Pitch movement]
User 06 - vehicle - 02 [Exhibit reversed Pitch movement]
User 06 - vehicle - 03 [Exhibit reversed Pitch movement]
User 06 - vehicle - 04 [Exhibit reversed Pitch movement]
User 06 - vehicle - 05 [Exhibit reversed Pitch movement]
User 06 - vehicle - 06 [Exhibit reversed Pitch movement]
User 06 - vehicle - 07 [Exhibit reversed Pitch movement]
User 06 - vehicle - 08 [Exhibit reversed Pitch movement]

```
User 06 - vehicle - 09 [Exhibit reversed Pitch movement]
```

- User 13 vehicle 01 [Exhibit unusual Pitch and xAcc movement at the end]
- User 13 vehicle 06 [Exhibit unusual Pitch and xAcc movement at the end]
- User 14 vehicle 01 [Exhibit reversed Pitch movement]
- User 14 vehicle 02 [Exhibit reversed Pitch movement]
- User 14 vehicle 03 [Exhibit reversed Pitch movement]
- User 14 vehicle 04 [Exhibit reversed Pitch movement]
- User 14 vehicle 05 [Exhibit reversed Pitch movement]
- User 14 vehicle 06 [Exhibit reversed Pitch movement]
- User 14 vehicle 07 [Exhibit reversed Pitch movement]
- User 14 vehicle 08 [Exhibit reversed Pitch movement]
- User 14 vehicle 09 [Exhibit reversed Pitch movement]
- User 14 vehicle 10 [Exhibit reversed Pitch movement]
- User 16 vehicle 01 [Exhibit reversed Pitch movement]
- User 16 vehicle 02 [Exhibit reversed Pitch movement]
- User 16 vehicle 03 [Exhibit reversed Pitch movement]
- User 16 vehicle 04 [Exhibit reversed Pitch movement]
- User 16 vehicle 05 [Exhibit reversed Pitch movement]
- User 16 vehicle 06 [Exhibit reversed Pitch movement]
- User 16 vehicle 07 [Exhibit reversed Pitch movement]
- User 16 vehicle 08 [Exhibit reversed Pitch movement]
- User 16 vehicle 09 [Exhibit reversed Pitch movement]
- User 16 vehicle 10 [Exhibit reversed Pitch movement]

User 06 - vehicle - 10 [Exhibit reversed Pitch movement]

- 1 DEFENSE TECHNICAL
- (PDF) INFORMATION CTR DTIC OCA
 - 2 DIRECTOR
- (PDF) US ARMY RESEARCH LAB RDRL CIO L IMAL HRA MAIL & RECORDS MGMT
- 1 GOVT PRINTG OFC
- (PDF) A MALHOTRA
 - 5 DIRECTOR
- (PDF) US ARMY RESEARCH LAB
 RDRL CII B
 STEPHEN M RUSSELL
 ROBERT P WINKLER
 ANDRE V HARRISON
 MICHAEL H LEE
 RDRL CII
 DEBORAH A WELSH

INTENTIONALLY LEFT BLANK.